



PERGRAPHICA®



Its rough surface texture helps you to distinguish your message and convey a pure, natural look and feel. A classic whiteness provides a contemporary look and feel, highlighting aesthetic imagery.

Typical shade values D65/10°: L*: 96.5 a*:3.7 b*:-12.7.

Typical bulk 1.4

Tailor-made ICC profiles and CxF under mondigroup.com/printing



Technical Data: PERGRAPHICA® CLASSIC ROUGH

			90	100	120	150	240	300
Basis weight	g/m ²	ISO 536	90 ± 3.0	100 ± 4.0	120 ± 4.0	150 ± 4.0	240 ± 5.0	300 ± 8.0
Caliper	µm	ISO 534	125 ± 3	138 ± 4	168 ± 4	209 ± 4	328	423 ± 8
Roughness Bendtsen	ml/min	ISO 8791-2	300 ± 50	300 ± 50	300 ± 50	300 ± 50	300 ± 50	300 ± 50
Opacity	%	ISO 2471	90.0 ± 1	91.5 ± 1	94.5 ± 1	96.5 ± 1	99.0 ± 1	100.0
Moisture abs.	%	ISO 287	5.0 ± .6	5.0 ± .6	5.0 ± .6	5.0 ± .6	5.5 ± .6	5.5 ± .6
Brightness UV	%	ISO 2470	110.0 ± 1.5	110.0 ± 1.5	110.0 ± 1.5	110.0 ± 1.5	110.0 ± 1.5	110.0 ± 1.5
CIE Whiteness	%	ISO 11475	148 ± 3.0	148 ± 3.0	148 ± 3.0	148 ± 3.0	148 ± 3.0	148 ± 3.0

Production process certified according to ISO 9001, ISO 14001 and ISO 45001. Product compliant with Reg. (EC) 1935/2004 when purchased in folio format or reels. Standard measurement uncertainty between laboratories is not incorporated.

SIGNIFICANCE OF VALUES: 2 SIGMA

This specification is valid for one year after issue or good till cancelled.